

Medium	CR	CSM	EPDM	FPM	HNBR	IIR	NBR	NR	PTFE	PUR	SBR	VMQ
Walratöl	0	-	-	+	?	-	+	-	+	?	-	?
Waschlauge	0	0	+	+	?	+	+	0	+	-	0	+
Wasser	+	+	+	0	+	+	+	+	+	0	+	+
Wasser	+	+	+	0	+	+	+	+	+	0	+	+
Wasser (destilliert bis 60°C)	0	+	+	0	?	+	0	0	+	-	0	0
Wasserdampf bis 130°C	0	-	+	-	-	+	-	-	+	-	-	-
Wasserdampf über 130°C	-	-	0	-	-	0	-	-	+	?	-	-
Wasserstoff	?	?	0	+	?	+	+	0	+	?	+	?
Wasserstoffgas (heiß)	+	+	+	+	0	+	0	-	+	0	-	0
Wasserstoffgas (kalt)	+	+	+	+	+	+	+	0	+	0	0	0
Wasserstoffperoxid	+	0	+	+	?	+	0	0	+	?	0	+
Wasserstoffperoxid (90%)	-	-	-	0	0	-	-	-	+	?	-	0
Wasserstoffsupperoxid	+	+	+	+	?	+	0	0	+	?	0	+
Wasserstoffsupperoxid (konzentriert)	-	0	0	+	?	0	-	-	?	?	-	0
Wein	+	+	+	+	?	+	+	+	+	-	+	+
Weinsäure	0	+	0	+	?	0	+	+	+	?	0	+
Weinsteinsäure	+	+	?	?	+	+	+	+	+	?	+	+
Weißes Kienöl	-	-	-	+	?	-	0	-	+	?	-	?
Weißes Pineöl	-	-	-	+	?	-	0	-	?	?	-	-
Weißöl	0	-	-	+	?	-	+	-	+	0	-	-
Whiskey	+	+	+	+	+	+	+	+	+	-	+	+
Wollfett	0	0	-	+	?	0	+	-	+	+	-	0
Wolmarsalz	0	+	+	+	?	+	+	+	?	+	+	+
Wachsalkohol	0	-	-	+	0	-	+	-	+	?	?	?
Weißlauge	0	0	+	-	0	+	+	-	+	?	0	0